

23 YEARS
1989-2012



NUMBER 1 FOR SERVICE



Established
23 YEARS



Contents

- 1. Front Page**
- 2. Contents**
- 3. Company Profile**
- 4. Steel Doors**
- 5. Industrial Roller Shutters**
- 6. Commercial Roller Shutters**
- 7. Rapid Rise Doors**
- 8. Crash Doors**
- 9. Insulated Roller Shutters**
- 10. Cavity Fixed Roller Shutters**
- 11. Industrial Sliding Folding Doors**
- 12. Sectional Overhead Doors**
- 13. Shop Front Security**
- 14. Security Products**
- 15. Vehicle Barriers And Bollards**
- 16. Collapsible Gates**
- 17. Dock Shelters**
- 18. Dock Levellers**
- 19. Automatic Doors**
- 20. Maintenance Agreement**
- 21. Service & Repair**
- 22. Air Conditioning & Ventilation**
- 23. Extraction Ductwork**
- 24. Extra Products**
- 25. Fabrication**
- 26. Domestic Air Conditioning**
- 27. Commercial Air Conditioning**
- 28. Current Contract**

Company Profile

Access Door Systems was formed in 1992. We provide quality industrial doors, service, repair & maintenance to both construction & service industries.

The Company has recently relocated and has a 10,000 square foot modern manufacturing facility.

From its conception the company has been and remains totally focused on its customers requirements. We provide first class products and service, on time every time. With a commitment to provide the complete package.



Customers of Access Doors

- West Yorkshire Fire Service
- Bolton Council (cps)
- Balfour Beatty
- Warburtons
- Viridor
- Asda
- Tesco
- Bibby Distribution
- Loomis
- Scania
- Lookers Group
- Russell's Construction
- H B Projects
- Kier Construction
- Blackburn College
- Burnley College
- Northern Commercials
- Galliford Try
- Blackburn Council
- Accrington & Rossendale College
- Kronospan
- Lancaster Council
- Liverpool Community College
- Mid Cheshire College
- A K Worthington
- Park Cakes
- Gafoor Foods
- Halewood International



Accreditations/Certificates

- SAFE contractor
- Warrington Fire Research
- Salford University Acoustic
- ISO 9001 Certified
- Chas
- Construction Line



Steel Personnel Doors

Access Steel Hinge doors are suitable for numerous location's, hotels, office blocks, schools, hospitals and industrial units. The doors are robustly designed, to give a high level of security as well as being aesthetically pleasing. Each door is individually manufactured to suit your specific requirements.

Technical Specification

Leaf: Constructed from Zintec sheets with internal stiffening struts and mineral wool insulation. A central security stud is provided to each leaf as standard.

Hinges: Each leaf is attached to the frame via a full height stainless steel piano hinge.

Frame: Constructed from 100mm X 50mm RHS with a 40mm x 20mm box section to create the inner jamb. A 100mm x 6mm flat bar is provided at the base of the door. The frame is fully welded into a single rebate design and is a solid construction that does not twist & bow as conventional pressed frames. Additional cavity closing angles are available.

Maximum structural opening size 3000mm X 3000mm



Optional Extras

- Solid over-panels
- Louvered over-panels
- Side panels
- Windows single glazed & double glazed in various shapes & sizes
- Polyester powder coating in any standard BS or RAL colour
- Marine paint
- Louvre's
- Heavy duty skins for additional security

Industrial Roller Shutters

Technical Specification

Drive: Via either a reduction gears system or plate wheel and pinion with steel roller chain.

Curtain: Constructed from interlocking 75mm wide curved scrolled lath section. Secured with nylon end-locks fixed to alternate laths. Finished with a galvanised T section bottom rail.

Optional Extras

Barrel: Constructed from steel tube, with heli-coil counter balance springs, mounted on a solid steel shaft, with sealed for life bearings. Each barrel is designed to give a maximum deflection of 1mm –300mm

- Perforated lath/Punched lath
- Plastisol
- Polyester powder coating in any standard BS or RAL colour
- Hood & motor hoods
- Top, bottom & side seals
- The doors can have either Manual or Electrical Operation

Access roller shutter doors are designed to meet the industry standards. A conventional robust design suitable for all types of location.



- Maximum Size 12000mm X 12000mm
- 22 SWG curtain up to 4500mm X 4500mm
- 20 SWG curtain up to 6000mm x 6000mm
- 18 SWG curtain Above
- 65mm straight guide shutters up to 4500mm wide
- 65mm wind lock guides & wind locks every 8 lath shutters up to 6000mm wide
- 100mm wind lock guides & wind locks every 8 lath shutters above 6000mm wide

21/06/2006

Commercial Roller Shutters

Access roller shutters are designed to meet the needs of the retail & commercial user. The side guides are fitted with double brush seals, to eliminate draughts, and to assist in the smooth operation of the curtain.

Remote control

A remote control unit ensures operating the door is effortless. The standard kit comprises of two pocket sized transmitters with protective covers.

Finishes


The extensive range of available colours, ensures your door will blend in perfectly with the majority of its surroundings. High quality powder coated corrosion resistant finish of all the exposed parts make it the 1st choice for eternal applications.



Additional control accessories include wireless key switches, digipads & push buttons. Multichannel units are available to operate multiple doors from a single transmitter.

In the event of an attempt to force open the Europa, the security locking devices which connect the curtain to the barrel of the door, will automatically lock up, to eliminate this action. To further deter willing thieves or vandals, a piercing alarm can be fitted to the remote control receiver to alert passers by.

Rapid Rise Doors



Reduce costs

The ideal door for use where fork lift trucks are operating.

Fast-moving, functional and reliable doors are needed when installed in industrial and commercial environments. Access' s high-speed fold-up doors, are versatile and solid, ensuring long-lasting reliability.

The modular structure of the curtains, assembled and joined by anodised aluminium extrusions, provides for a wide range of polyester sections available in a variety of colours.


Full-width window panels ensure safer traffic and allows more light in. Their fast and easy replacement, in case of accidental tearing, will save money and time.

The metal tubular structures inserted ensure the door are of high wind-resistance.

Motorisation, control and safety systems, and modular counterweight balancing systems are housed in the crosspieces and vertical uprights of the exclusive integrated structure, engineered to withstand atmospheric agents.

Access' rapid rise doors are the ideal solution for external entrances and effectively operate in any situation, even when strong winds are blowing, in rooms with high depression conditions or in areas with high volume traffic.

Sturdy and dependable, rapid rise are the intelligent door for medium and large entrances.



Crash Doors

Some suitable applications:

- Storage & Industrial Locations
- Hospitals
- Food Processing & Packaging
- Clinical & Hygiene
- Cold Storage
- Logistical & Warehousing
- Light & Heavy Commercial



Vision Panels

Each door includes a clear transparent PVC upper section as standard. This allows personnel to see who or what is on either side of the door.



Each door incorporates a choice of high quality materials designed to require minimal maintenance, optimise work-flow, improve the working environment, control dust, noise and save energy. Standard colours currently are:-White, Cream, Yellow, Orange, Red, Blue.

Maintenance and Service

Our entire door range has been designed to require very little maintenance. In the benefit of safety we do suggest all doors are inspected by one of our trained engineers on a periodic basis to ensure trouble free operation for the doors life.

Insulated Roller Shutters

"Insuroll" Insulated roller shutter doors are suitable for internal and external openings in a wide range of applications such as warehouses, industrial units, garages, workshops, spray booths, bus depots, agricultural buildings etc.

The doors provide insulation whilst retaining the standard roller shutter drive system. The design of the Insulated lath complete with the CFC free polystyrene infill helps to maintain a comfortable working environment by ensuring heat leaving the building is kept to a minimum. and also acts as a barrier to prevent cold air entering the building. Giving a "U" value of 0.69 w/m²k and an acoustic value of 18dBA.

Optional extras

- Plastisol finish to the curtain
- Polyester Powder coating
- Polycarbonate vision panels
- Hood, Fascia, Motor Hood
- Wind End-locks
- Inductive loops
- Key switch's
- Remote Control
- Safety edge/ photo-cells
- Two speed fast action motors



Insulated Roller



For more technical information please contact our sales department.




Cavity Fixed Roller Shutter

The Access Cavity Roller Shutter is designed to provide an aesthetically pleasing solution. By concealing the shutter, housing and guides within the wall cavity of the building the shutter is much more secure.

The shutter housing is of PVC honeycomb construction for strength and maximum insulation. This modular system has die-cast aluminium plates to carry the weight required for each shutter. The internal fascia panel is attached by a snug fit clip design for draught proofing.



The guide channel is constructed from extruded aluminium with an internal box section for strength and installation complete with nylon brush seals for smooth operation.



Super-fold Industrial Sliding Folding Shutters

APPLICATION

Access Super fold Sliding Folding Shutters are suitable for all types and sizes of opening especially where headroom is restricted. They can be opened and closed quickly by manual operation but electric operation is recommended for larger shutters.



FINISH

Galvanised. Powder coating to any BS/RAL colour is available at extra cost.

OPTIONS

Vision panels, deadlocks, draught excluders, run way beam cut outs etc.

ELECTRIC OPERATION

415v 3ph 50hz geared motor unit complete with manual over ride in the event of power failure.

Sectional Overhead Doors

The Access Sectional Overhead Door is designed to give a guaranteed high thermal performance, avoiding cold Bridging.

COUNTER-BALANCE:

The doors are counterbalanced via helical springs that are individually calculated to give the maximum life with a minimum 50,000 cycles.



Glass panoramic sectional door, used on car show rooms, as shown above.

OPERATION: Sh/rope pull up to 3m x 3m, Manual hand chain up to 6m X 6m Electric via 415v or 240v geared motor with integral limits & manual overrid.

PANELS: Puinternal and external facing sheets. These sheets are bonded together using a CFC free foam. 610 mm deep x 40 mm thick composite panels manufactured using 0.5 thick hot dipped zinc coated steel




Shop Front Security



Vision shutters, like traditional shutters, offer effective protection for a wide range of applications - the difference being that vision shutters enable you to see through them. This makes them the ideal choice for retail stores, shopping malls and art galleries where being able to see attractive window displays out-of-hours can be good for business.

Security guards are also able to see right inside premises with vision shutters, increasing the level of security and making them suitable for an even wider range of applications .



Security Products


All our palisade fencing is supplied in hot dip galvanised steel to BS729, they can also be powder coated to any standard RAL colour .

Pales come in 2 profiles “D” section and “W” section. With a variety of heads.

1. Triple pointed top
2. Single pointed top
3. Round top
4. Round top notched



Rota Spike



Palisade fencing.



Custom made 20mm solid bar security gate.



V- TEC fencing.

V Tec Fencing

A good security fence without being too obstructive. Suitable for compounds, schools, golf and recreation grounds. Mesh panels come in sizes up to 2.4 meters high 2.975 metres wide.

They are galvanised then polyester powder coated Black or Green.

Vehicle Barriers & Bollards

BOLLARDS

We specialise in all types of bollards from the simple lift out bollards, in galvanised steel, to the stainless steel telescopic bollard which is fully retractable.



VEHICLE BARRIERS

These barriers can be made to your own specification, whether it be manual, swing, lift up or electrically operated by swipe card, laser beam or ground loop.

Just name your preference

These can be powder coated in one of our standard RAL colours.



Collapsible gates



The lattice grill is for domestic security use and high security for commercial, retail and counter/cabinet applications.

The Lattice grill's Retractable Gate System combines a classic appearance with effective protection, ideal for home or workplace. The system can be easily fitted to the face or reveal of a window or door aperture and can be specified in a single or double-sash configuration. Where a clear walk through is required the bottom track can be made to lift up (an optional extra).

High quality finish - Supplied in high quality white powder coated finish as standard.

Dock Shelters



Basic rule for working out the right dock shelter size to accommodate your vehicle fleet

Dock Height + Shelter Height – 400mm = **Highest vehicle**

Dock Height + Shelter Height – Head Curtain = **Lowest Vehicle**

Standard features and options

A heavy duty dock shelter, providing a good seal for wide variety of vehicle sizes:

- Head and front side curtains – Will fold around the rear perimeter profile of the docked trailer to promote an effective seal
- Top Head Curtain – Available in a range of lengths to accommodate your full range of overall vehicle heights
- Retractable frame - should a misaligned reversing vehicle hit the frame it will push back towards the building and spring back to position once the vehicle has moved way, thereby preventing damage
- Luminous Parking Guides - to assist centralised docking

Dock Leveller



For simple and safe maintenance access, the power pack is mounted on the base and towards the front of the dock leveller unit.

Hazard warning stripes are fitted in recessed punched seats, eliminating abrasion and making them practically everlasting.

The unique design of the power pack enables the platform to safely 'float' even if the power is lost, under these circumstances the leveller can even be manually parked, ensuring building security is maintained

The lip rotates on 'maintenance free' self lubricating bushes ensuring constant smooth operation.



Warranty

Access dock levellers are covered by a full 12 month parts warranty. Any part that is faulty due to negligence, careless use, lack of appropriate maintenance and any issues that can not be directly related to manufacturing defects are not covered by this warranty.

Automatic Door Systems



Full safety to BS7036 with electronic sensors, is augmented by a built in overload sensor which will reopen the door on detection of an obstruction.

Door can be easily opened by hand in an emergency* (e.g. power failure)

Door sequence can be started by hand in an emergency* (e.g. sensor failure)

* assumed the door is not locked in closed position.



Automatic sliding door systems for pedestrian entrances.

Capable of detecting minute changes occurring within the door cycle due to wind pressure or other overload condition.

Transmission system by permanent magnet brushless servo motor for high speed opening and closing. A reduction gearbox then transmits power via a twin gear train. The gearbox is manufactured from sulphurate bronze and carbon steel to ensure long durability in operation whilst withstanding high torsion moment during start-up and low running noise.

Stainless steel self cleaning running rail.



Maintenance Agreements

With a maintenance agreement you really can ensure your door equipment will last for years to come.

As well as ensuring your equipment's life expectancy and also protect yourself against litigation as directed in the BS7037 (1996) this advises that powered automatic doors are maintained by an AUTHORISED TECHNICIAN on an annual basis.

All our automatic door engineers are BS7037 approved and stringently comply with the relevant safety legislation.

We can and will advise you of your obligation being an automatic door owner, and will give you guidance through the process.

We maintain all types of industrial door equipment, with a maintenance contract you will have preferential callout rates, preferential parts prices and the assurance you are in good hands.

We offer the facility of 24hr call out (to contract customers) and a guaranteed next day attendance (to all non contract customers).

At the time of the visit you will be issued with a service check sheet and advised of any work required.

Every door has a unique number, this is noted at the time of a breakdown, this assists us to trace the service history and service requirements




Service and Repair

The service and repair department has engineering teams that offer a wide and varied skill base, gained from interactive learning on all types of industrial doors and security equipment.

We are a registered member of the DHF (Door and hardware federation).

The service department offers a Free Site Survey and Estimates, for maintenance contracts, and will offer, if required, information and help on Health & Safety requirements as industrial door must be subjected to a regular maintenance programme which is documented and recorded by a competent person.



Benefits of having a service contract are: -

- Priority on emergency call outs
- 10% off all parts
- 15% cheaper hourly rates on call outs



ACCESS

Air Conditioning & Ventilation



Extraction ductwork



Extraction from different areas may require low, medium or high pressure ductwork. We have the facility to offer any option and the fans to match including non spark for flammable fumes.





Extra Products

We would like to take this opportunity to inform any new or existing clients that we now can offer a full range of services that include.

- Aluminium shop fronts
 - Duct work
 - Ductwork Cleaning
 - Air conditioning
 - Building work
- A range of stainless steel products for use in the catering trade



Extract filters



Industrial Extract Canopy



We have a product available for any and every situation.

Wall Mountable Air Conditioning Unit

- **And much more, Please ask, if it is in our scope we will help.**



Fabrication






Domestic Air Conditioning



In today and tomorrow's energy market, you can't afford not to be energy efficient. Why not have a home that is extremely comfortable, potentially more valuable as an asset and incur energy costs far lower than in the average home month after month?



Our energy appetite continues to grow to feed our endless array of electronic devices and larger homes. Using energy efficiently and buying renewable power, where it is available, is the path that will lead all of us to a sustainable and affordable future.



NB Some important advice: Do not leave it until mid summer to make your decision, when installers are already working seven days a week. Arrange for a survey to be done in the winter, when there is less demand on an installer's time.



Commercial Air Conditioning




Access have undertaken contracts from £1250.00 to £256,000.00



Any area can be air conditioned and this includes the fact that this includes heating as well as cooling.

Current contract



BMX CENTRE MANCHESTER



We operate a 24 hour 365 day a year call out service.
Where your call will be answered by a senior member of Access staff,
Not a call centre.



Access Door Systems Ltd
Unit 1, Farnworth Ind Est
Emlyn Street
Farnworth
BL4 7AQ

Tel: 01204 572208

Fax: 01204 577265

Email: reception@accessgroupuk.co.uk

Website: www.accessgroupuk.co.uk